

FOFO OVER **20** YEARS EXPERIENCE

IN HIGH-FREQUENCY PRODUCTS



COMPANY INTRODUCTION

Foshan Hongfeng Co., Ltd mainly produces medical rehabilitation products, specializing in the design and manufacture of air compression therapy machines, compressor nebulizers, suction machines, air cushions and other rehabilitation products. Foshan HongFeng has over 20 years of experience in making high-frequency products. Our high frequency machines are 225KW, and are the most technologically advanced with professional patented designs. There are over 360 workers in the group. Our company has nstrong R & D capabilities, from mold design and manufacturing to software research and development, high-frequency product design and manufacturing are all completed internally, and quality control meets European and American requirements.

Our products have been approved by FDA, 510K, ISO and CE MDR. The sales team's languages include English, Russian, Spanish, French, and Japanese. We have exported to the USA, Europe, Asia, the Middle East, and many other countries in the world. FOFO havs earned a great reputation in our industry amongst our customers and peers. We sincerely hope we can build a stable business relationship with you and welcome you to visit our factory. We guarantee high-quality products, competitive prices, prompt delivery schedules and reliable services.



CE 0598 FDA ISO13485 510K



FOFO



FOFO

Foshan Hongfeng Co.,Ltd



Medical Air Mattresses

Foshan Hongfeng Co.,Ltd

Address: No.4-2 Leqiang Road, Leping Sanshui,Foshan,528100,GuangDong,China
Tel: 0757-88791710 ext 888 0592-2097262
Email: fofomedical.com
Mob: +86 13055506651
www.fofomedical.com



YoYube



www.fofomedical.com



2.5" Bubble Medical Air Mattress

Low Noise Pump with 18 Months Warranty
SGS Approved
Fire Retardant Taiwan Nanya PVC



Specifications:

Pump	Pad
Item: HF62012	Item: HF6001
Power Supply: 110V/220V, 50-60Hz	Size: 200cm(L) x 90cm(W) x 7.0cm(H) [Standard Size] 190cm(L) x 82cm(W) x 7.0cm(H) [Economic Size]
Air Output: 5-7 liter/min.	130 Bubbles with End Flaps/100 Bubbles
Pressure Range: 30mmHg-110mmHg	Accessories: Repair Kit, Hose
Cycle Time: 10-12mins	Material: Medical Class Taiwan Nanya PVC
Power Consumption: 7W Fuse: 1A	PVC Thickness: 0.3mm
Size: 23.5cm(L) x 13cm(W) x 9.5cm(H)	Color: Beige, Blue
Weight: 0.8kg	Mattress Weight: 1.8-2.1kg
Packing: 20GP 3228pcs/40GP 6400pcs/40HQ 7722pcs	Weight Capacity: 135kg



2.5" Ventilation Bubble Air Mattress

Silent Aluminum Motor with 2 Years Warranty
CPC Connector/Outside Fuse/Air Filter Included



Specifications:

Pump	Pad
Item: HF601	Item: HF6001V
Power Supply: 110V/220V, 50-60Hz	Size: 200cm(L) x 90cm(W) x 7.0cm(H)
Air Output: 6-8 liter/min.	130 Bubble with End Flaps; Ventilating
Pressure Range: 30mmHg-110mmHg	Accessories: Repair Kit, 1.5M Hose
Cycle Time: 10-12mins	Material: Medical Class Taiwan Nanya PVC
Power Consumption: 7W Fuse: 1A	PVC Thickness: 0.3mm
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Color: Beige, Blue
Weight: 1.3kg	Mattress Weight: 1.8-2.1kg
Packing: 20GP 2940pcs/ 40GP 5880pcs/ 40HQ 7114pcs	Weight Capacity: 135kg

Aluminum Pump Compressor




Good ABS Pump Shell

Replaceable Air Filter



External fuse is easy to change

CPC connector for transport



The Aluminum pump compressor has excellent heat control and is extremely silent when running, which extends the lifetime of the pump

One-Piece Tubular Bedsole Prevention Mattress

Low-Noise Pump with 18 Months Warranty

HF6003



HF6003B



HF6003C



HF6003D



HF62012


Specifications:

Pump	Mattress
Item: HF62012	Item: HF6003
Power Supply: 110V/220V, 50-60Hz	Standard Size: 190cm(L) x 87cm(W) x 9.5cm(H)
Air Output: 5-7 liter/min.	240cm x 97cm (mould)
Pressure Range: 30mmHg-110mmHg	Air Cells: PVC
Cycle Time: 10-12mins	AB Zones Alternating Pressure Relief
Power Consumption: 7W Fuse: 1A	Mattress Weight: 2-2.5kg
Size: 23.5cm(L) x 13cm(W) x 9.5cm(H)	Weight Capacity: 145kg
Weight: 0.8kg	Packing: 20GP 3228pcs/40GP 6400pcs/40HQ 7722pcs

Middle Risk Class II Tubular Medical Air Mattress

Top Quality Aluminum Pump 2 Years Warranty
CPC Connector/External Fuse /AB or ABC Alternating Optional

HF6002



HF608



Gift Box




Individual Cells



CPR&PU Cover



Spare Cell & Repair Kit



Urine Door(Optional)

• Static/Dynamic modes; Power loss/ low pressure alarm

Specifications:

Pump	Mattress
Item: HF608	Item: HF6002
Power Supply: 110V/220V, 50-60Hz	Standard Size: 200cm(L) x 90cm(W) x 11.5cm(H)
Air Output: 6-8 liter/min.	18 Air Cells
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons
Cycle Time: 10-12mins	Air Cells: Medical Class Taiwanese Nylon PVC
Power Consumption: 7W Fuse:1A	Bottom: Welding Tarpaulin
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Mattress Weight : 5.5-6.5kg
Weight: 1.6kg	Weight Capacity: 145kg

5" Fire Retardant PVC 17 Cells Tubular Mattress

Ventilated, Fire Retardant SGS Approved Material ,
100% Waterproof Base Cover/Fully Welding Seams/No Stitching

HF6002-17P




Specifications:

Pump	Mattress
Item: HF62012	Item: HF6002-17P
Power Supply: 110V/220V, 50-60Hz	Standard Size: 190cm(L) x 85cm(W) x 11.5cm(H) ;
Air Output: 5-7 liter/min.	17 Air Cells + 1 spare cell
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons (optional)
Cycle Time: 10-12mins	Air Cells: Medical Class Taiwanese PVC0.4
Power Consumption: 7W	Bottom: Welding Tarpaulin
Size: 23.5cm(L) x 13cm(W) x 9.5cm(H)	Mattress Weight : 5-5.5 kg
Weight: 0.8kg	Weight Capacity: 145kg

Fire Retardant PVC 22 Cells Tubular Mattress

Ventilated, Fire Retardant SGS Aapproved Material ,
100% Waterproof Base Cover/Fully Welding Seams/No Stitching

HF6002-22P




Specifications:

Pump	Mattress
Item: HF-A	Item: HF6002-22P
Power Supply: 110V/220V, 50-60Hz	Standard Size: 186cm(L) x 80cm(W) x 8.5cm(H)
Air Output: 5-7 liter/min.	Air Cells: 22 cells + 1spare cell
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons (optional)
Cycle Time: 10-12mins	Air Cells: Medical Class Taiwanese PVC0.4
Power Consumption: 7W	Bottom: Tarpaulin
Size: 22.5cm(L) x 10.5cm(W) x 7.5cm(H)	Mattress Weight : 3.8-4.2kg
Weight: 1.1kg	Weight Capacity: 135kg

Hospital Class II 5" Tubular Air Mattress

Silent Aluminum Pump/Static Model/Alarm
CPC Connector/External Fuse/Filter
AB or ABC Alternating Optional



Specifications:

Pump	Mattress
Item: HF608	Item: HF6005
Power Supply: 110V/220V, 50-60Hz	Standard Size: 80"(L) x 32"-36"(W)
Air Output: 6-8 liter/min.	18 Cells; 200cm(L) x 90cm(W) x 11.5cm(H)
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU/Stretch PU
Cycle Time: 10-12mins	Air Cells: Nylon PVC/TPU
Power Consumption: 7W Fuse:1A	Bottom: Tarpaulin
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Mattress Weight: 5.5-6.5 kg
Weight: 1.6kg	Weight Capacity: 145 kg

Hospital 5"+ 3" Foam Pocket Mattress Replacement

Digital Aluminum Pump System/Auto Pressure Control
100% Waterproof Seam-Sealed Stretch PU Cover



Item:HF6006

- 5" Air Cells with 3" foam pocket, can insert the foam inside
- Mattress Size: 80"(L) X 36"(W) x 5"(H) cell+3" foam 200cm(L) x 90cm(W) x 20.5cm(H)
- Material: Taiwan Nanya Nylon TPU Air Cells Welded Stretch PU Cover, Full Zipper Tarpaulin/Nylon Pu Bottom
- Maximum Weight Limit: 185kg
- Advantages: Waterproof Cover Medical Class TPU Material Pillow Function Bottom Foam Replacement Ventilation Option Easyturn CPR for Rapid Deflation Visual and Audible Alarms for Patient Safety

Item:HF609

- Pump Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)
- Function: Static with Auto-Return, Sitting, Alarm, Lock
- Air Output: 6-8 liter/min
- Pressure Range: 20mmHg-50mmHg
- Cycle Time: 12 mins
- Power Consumption: 7W Fuse: 1A
- AB or ABC Alternating Option
- CPC Connector
- External, Easy Replacement Pump, Air Filters and Fuse
- Automatically Adjusts to the Patients Weight
- Silent Aluminum Compressor Pump at Optimum Support Pressures


8" Low Air Loss Air Mattress Replacement

Low pressure/ Power failure Alarm , Static/ Dynamic
Pressure adjustable

HF6008P-1



HF608



Item:HF6008P-1

- 8" Full Height Cell, 20 Air Cells, Dimensions: 200cm(L) x 85cm(W) x 20.5cm(H)
- Static bottom for Safety Protection
- PU Top Cover 100% Liquid Proof
- 4 Sided Zipper
- AB/ ABC Alternating Pressure Relief
- Top 1-3 Air Cell Pillow Function
- 4 Side Handles, Bottom 3 Pairs Loops
- 4-11 Air Cells Ventilation
- CPR for Quick Release During Emergency

Item: HF608

- Power Supply: 110V/220V, 50-60Hz
- Air Output: 6-8 liter/min.
- Pressure Range: 30mmHg-110mmHg
- Cycle Time: 10-12mins
- Power Consumption: 7W Fuse:1A
- Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)
- Weight: 1.6kg

Hospital ICU 8" Air Mattress Replacement

Digital Aluminum Pump System/Auto Pressure Control,
Static Mode, Sitting Mode, Alarm/Lock

HF6008



HF609



Item:HF6008

- 8" Full Height Cell, 19 Air Cells, Dimension: 200cm(L) x 80~90cm(W) x 20.5cm(H)
- Static Bottom for Safety Protection
- Fire Retardant Stretch PU Top Cover Welding Seams
- TPU Coated Air Cells
- 4-sided zipper
- Top 1-3 Air Cell Pillow Function
- 4 Side Handles, Bottom 3 Loop Pairs
- 4-11 Air Cells Ventilation
- CPR for Quick Release During Emergency
- Optional: Rectangular Air Cells
- Twisted CPR (optional)
- Individual cell changeable without affecting whole mattress operation (optional)

Item:HF609

- Pump Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)
- Function: Static with Auto-Return, Sitting, Alarm, Lock
- Air Output: 6-8 liter/min
- Pressure Range: 20mmHg-50mmHg
- Cycle Time: 10-12 mins
- Power Consumption: 7W Fuse: 1A
- AB or ABC Alternating Option
- CPC Connector
- External, Easy Replacement Pump, Air Filters and Fuse
- Automatically Adjusts to the Patients Weight
- Silent Aluminum Compressor Pump at Optimum Support Pressures

Bariatric 36-54" AB/ABC Alternating Pressure Mattress

Dual Pump for Heavy Patient Support up to 450kgs
Auto Weight Comfort Mode

HF6008/HF806



Touch Panel

MATTRESS SIZE & RECOMMENDED MAX PATIENT WEIGHT

Model	Width	Recommended Max Patient Weight
Standard	36"	450 lbs / 200 kg
Bariatric S	42"	600 lbs / 270 kg
Bariatric L	48"	750 lbs / 350 kg
Bariatric XL	54"	1000 lbs / 450 kg

Item: HF6008

- 9" Full Height Cell, 21 Air Cells, Dimensions: 200cm(L) x 90~138cm(W) x 23.5cm(H)
- Foam Base for Safety Protection
- PU Top Cover
- Comfortable Rectangular Air Cells(Optional)
- 4-Sided Zipper
- AB Alternating Pressure Relief up to 67% Instead of 50%(Optional)
- Top 1-3 Air Cell Pillow Function
- 4 Side Handles, Bottom 3 loop Pairs
- CPR for Quick Release During Emergency
- Weight Capacity: 280-450kgs

Item:HF806


- ABC Alternating with Dual Air Pump
- Power Failure and Low Pressure Visible / Audio Alarm
- Lock/Mute Function
- Auto-Weight Control
- Static Nursing Mode, 30 mins back to Alternating
- Sitting Position Provides More Support
- CPC Quick Connector and Detachable 4M Wire
- Dimensions: 34.5cm(L) x 19cm(W) x 14.5cm(H)



8" Turning Mattress for Multi-Functional Automatic Rotation/Dynamic

6 Zones/15L Blower Quick Inflating

HF805



FEATURES AND BENEFITS

- Lateral Rotation Angle Adjustable: 15°and 45°
- 21cm High Cells for Professional Hospital Environments
- Raised Side Perimeter Air Bolsters Mitigate Accidental Patient Roll-outs, and Reduce the Risk of Entrapment. (Rounded and Triangular Rails Optional)
- TPU Material
- Remote Control, Simple Operation and Wide Applicability
- Audio/Visual Low Pressure Alarm
- Audio/Visual Low Pressure Alarm
- Static Function for Safe and Easy Transfer.
- LED Display Full Touch Panel
- 12/18/24mins Alternating Cycle.

Item:HF805

- Pump Size: 28cm(L) x 10cm(W) x 16.5cm(H)
- Minimum Weight Limit: No Minimum
- Maximum Weight Limit: 180kg
- Mattress Size: 200cm(L) x 90cm(W) x 21cm(H)
- Material: TPU Film / Nylon TPU for Air Cells, Stretch PVC
- Cover, Bottom Tarpaulin/Nylon PU
- Alarm : power failure / air leak
- Alternating and Static function
- Aluminium pump X 1 , Blower pump X1



5" Turning Mattress for Anti-Bedsore & Pressure Ulcer Prevention

6 Zones



HF808



FEATURES AND BENEFITS

- 6 Independent Automatic Areas. Combines Head up, Feet up, Lateral Rotation, Low Air Loss and Alternating Pressure in One Mattress System.
- 11.5cm Cell Height, Compact Size, Quick and Easy Installation for Simpler Environments
- TPU Material
- Remote Control, Simple Operation and Wide Applicability
- Audio/Visual Low Pressure Alarm
- Static Function for Safe and Easy Transfer.
- LED Display Full Touch Panel
- 12/18/24mins Alternating Cycle.

Item:HF808 5"

- Pump Size: 28cm(L) x 10cm(W) x 16.5cm(H)
- Minimum Weight Limit: No Minimum
- Maximum Weight Limit: 135-145kg
- Mattress Size: 200cm(L) x 90cm(W) x 11.5cm(H)
- Material: TPU Film / Nylon TPU for Air Cells, Stretch PU Cover, Bottom Tarpaulin



Alternating Pressure Air Pump

CE FDA FC EMC ISO13485

Model	HF62012	HF-A	HF605	HF602	HF603	HF6P01
Size	23.5*13*9.5cm	22.5*10.5*7.5cm	20.1*10.4*7.2cm	23.5*13*9.5cm	23.5*12*9.5cm	27.5*12*10cm
Weight	0.8kg	0.8kg	0.8kg	0.8kg	0.8kg	1.1kg
Alternate Mode	AB	AB	AB	AB	AB	AB
Air Output	5-7 L/min	5-7 L/min	5-7 L/min	5-7 L/min	5-7 L/min	6-8 L/min
Air Pump	Plastic	Plastic	Plastic	Plastic	Plastic	Aluminum
Static Mode	--	--	--	--	--	Optional

Model	HF601/ HF608	HF609	HF800	HF808	HF806	HF805
Size	27.3*13.5*9cm	27.3*13.5*9cm	27.3*13.5*9cm	28*10*16.5cm	34.5*19*14.5cm	34.5*19*14.5cm
Weight	1.3kg	1.3kg	1.3kg	1.67kg	2.2kg	2.2kg
Alternate Mode	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D; R	AB/ABC/AB-D	AB/ABC/AB-D
Air Output	6-8 L/min	6-8 L/min	6-8 L/min	6-8 L/min	10-12 L/min	5-7L/min , 15L/min
Air Pump	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum *2	Aluminum X1, Blower X1
Static Mode	--	yes	yes	yes	yes	yes
Quick Connector	yes	yes	yes	yes	yes	yes
Alarm	--	yes	yes	yes	yes	yes
Auto KG/Cycle Time	--	yes	yes	yes	yes	yes
Seat Inflate Mode	--	yes	yes	yes	yes	yes

Portable Dynamic APP Cushion Li-ion Battery



HF2002



A
Plug-in



B
Rechargeable

Provides extra mobility for 12 hours per day

Specifications:

- Dimensions: 45(L)x45(W)x10(H)cm
- Static/Alternating Mode
- Weight Capacity: 120kg
- Cushion - TPU, Cover - Stretch PU
- Low Pressure and Battery Alarm
- Weight: 2kg
- 3 Cycle Times
- 5 Comfort Settings



HF2006

Seat Cushion

- Material: 0.4mm Medical Class PVC Fabric
- Size: 45x45cm
- Packing info: 54(L)x29(W)x22(H)cm, 15.2KG, 100PCS/CTN



HF2005

Wound Pad

- Material: PVC Flocking
- Size: Diameter 45cm/40cm
- Packing info: 50(L)x30(W)x 40(H)cm/100pcs


Bedsore Prevention Air Cushion



HF2007/2008



HF2003



HF2001

Size: 42x42cm
Material: Silicon/Rubber




Size: 42x42cm / 46x40cm
46x46cm / 50x46cm
Material: TPU/PVC
Max weight: 135Kg
Net weight: 0.29kg
Packing: 50x50x62cm, 20PCS/CTN

Size: 42x42cm / 46x40cm
46x46cm / 50x46cm
• Composed of air cells; can adjust to body shape according to the sitting posture.
• Keeps the hips at a sufficient distance from the bottom of the cushion to protect the skin and soft tissues.
• Improves air circulation and better disperses heat.


The Static Bedsore Prevention Mattress

HF2009A



Model: HF2009A
Size: 205x90 x12cm
Weight: 3.5KG
Material: TPU/PVC
Carton size: 51x37x49cm, 2PCS/CTN

HF2009B



Model: HF2009B
Size: 190x85x7.5cm
Weight: 3.5KG
Material: TPU/PVC
Carton size: 51x37x49cm, 2PCS/CTN

Air Transfer Mattress, Single-Patient Use

Products are Made with High-Elastic PVC Making Them Safe and Beneficial to Leave Under Patients for All Day Care That Supports Pressure Injury Prevention.

Mattress

- Large Size: 222x100cm
- Small Size: 222x89cm
- PVC Thickness: 0.4mm



HF6200

Chair/Wheelchair Seat




HF6201

- Size: 99x63cm
- Box Size: 54x29x22cm
50 pieces/box
- Gross Weight: 19.1 kg
- Net Weight: 18.55 kg

Medical Water Mattress

HF6100

- Air frame + 3 Independent Baffles
- Material: Thickness +K75
- Size of Outer Frame : 200x93x11.5cm
- Size of Each Element : 69x60x11.5cm
- Weight: 3.5kg
- Packing : 1 set in PE bags, 4 sets in Outer Carton
- Accessories: Hand Pump, Water Hose, Repair Kit



Inflatable Bath/Hair Basin

HF2101



Inflatable Bath Basin

- Material: PVC 0.4mm
 - Accessories: Electric Pump, Water Hose
 - Size: 190x90x22cm
- Electric Pump

HF2100



Shower bag optional

Inflatable Hair Washing Basin

- Material: PVC 0.4mm
- Accessories: Pump, Water Hose, Clips, Color Box
- Size: 23x62x53cm
- Color Box Size: 22x18x11cm
- Hand Pump

HF6101



- Material: PVC
- One Piece Type
- Color Box Size: 30x5x38cm
- Packing Size: 34x31x40cm
- QTY/CTN: 6 PCS PER CTN
- Size: 180x86x12cm