

FOFO



FOFO®

V.2025



Foshan Hongfeng Co., Ltd



www.fofomedical.com

Foshan Hongfeng Co.,Ltd

Address: No.4 Leqiang Road, Leping Sanshui, Foshan, 528100, GuangDong, China

Tel: 0757-88791710 ext 888 / 0592-2097262

Email: fofomedical.com

Mob: +86 13055506651

www.fofomedical.com

FOFO® OVER 20 YEARS EXPERIENCE

— IN HIGH-FREQUENCY PRODUCTS —



MORE ABOUT US






COMPANY INTRODUCTION

Foshan Hongfeng Co., Ltd mainly produces medical rehabilitation products, specializing in the design and manufacture of medical air mattresses, water mattresses, air compression therapy machines, compressor nebulizers, suction machines, oxygen concentrators, blood pressure monitors, air cushions and other rehabilitation products. Foshan HongFeng has over 20 years of experience in making high-frequency products. Our mattress high frequency machines are 225KW, and are the most technologically advanced, energy-efficient and low-carbon machines in Mainland China. There are over 360 workers in the group. Our company has strong R & D capabilities, from mold design and manufacturing to software research and development, high-frequency product design and manufacturing are all completed internally, and quality control meets European and American requirements.

Our products have been approved by FDA, 510K, ISO and CE. The sales team's languages include English, Russian, Spanish, Portuguese, and Japanese. We have exported to the USA, Europe, Asia, the Middle East, and many other countries in the world. We have earned a great reputation in our industry amongst our customers and peers. We sincerely hope we can build a stable business relationship with you and welcome you to visit our factory. We guarantee high-quality products, competitive prices, prompt delivery schedules and reliable services.



CE FDA ISO13485



TOP Air Compression Therapy Systems Manufacturer	40+ Customers In 40+ Countries Worldwide	23 Years High-quality Production Experience	Patented Automatic Turning Mattress & Cold Compression Therapy Systems	30,000 Square Meters Of Production Area	1,350,000 Exporting 1.35 Million Pieces Of Air Mattresses In 2023
--	--	---	--	---	---



Contents

Bubble Air Mattress	Page	01 - 04
Tubular Air Mattress	Page	05 - 18
Cushions & Accessories	Page	19- 22
Compressor Nebulizer	Page	23 - 34
Phlegm Suction Machine	Page	35 - 36
Air Compression Therapy System	Page	37 - 48


2.5" Bubble Medical Air Mattress

Low Noise Pump with 18 Months Warranty
 SGS Approved
 Fire Retardant Taiwan Nanya PVC




Specifications:

Pump	Pad
Item: HF62012	Item: HF6001
Power Supply: 110V/220V, 50-60Hz	Size: 200cm(L) x 90cm(W) x 7.0cm(H) [Standard Size] 190cm(L) x 82cm(W) x 7.0cm(H) [Economic Size]
Air Output: 5-7 liter/min.	130 Bubbles with End Flaps/100 Bubbles
Pressure Range: 30mmHg-110mmHg	Accessories: Repair Kit, Hose
Cycle Time: 12mins	Material: Medical Class Taiwan Nanya PVC K80
Power Consumption: 7W Fuse: 1A	PVC Thickness: 0.3mm
Size: 23.5cm(L) x 13cm(W) x 9.5cm(H)	Color: Beige, Blue
Weight: 0.8kg	Mattress Weight: 1.8-2.1kg
Packing: 20GP 3228pcs/40GP 6400pcs/40HQ 7722pcs	Weight Capacity: 135kg



Extra Edge Auto-cutting

TAIWAN medical class pvc, more durable and high elasticity, 12 month warranty



One-piece molded mattress


Full length flaps



100% running testing 24 hours before shipment

2.5" Ventilation Bubble Air Mattress

Silent Aluminum Motor with 2 Years Warranty
CPC Connector/Outside Fuse/Air Filter Included



Specifications:

Pump	Pad
Item: HF601	Item: HF6001V
Power Supply: 110V/220V, 50-60Hz	Size: 200cm(L) x 90cm(W) x 7.0cm(H)
Air Output: 6-8 liter/min.	130 Bubble with End Flaps; Ventilating
Pressure Range: 30mmHg-110mmHg	Accessories: Repair Kit, 1.5M Hose
Cycle Time: 12mins	Material: Medical Class Taiwan Nanya PVC K80
Power Consumption: 7W Fuse: 1A	PVC Thickness: 0.3mm
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Color: Beige, Blue
Weight: 1.3kg	Mattress Weight: 1.8-2.1kg
Packing: 20GP 2940pcs/ 40GP 5880pcs/ 40HQ 7114pcs	Weight Capacity: 135kg

Aluminum Pump Compressor




Good ABS Pump Shell

Replaceable Air Filter



External fuse is easy to change

CPC connector can hold air inside when there is no power



The Aluminum pump compressor has excellent heat control and is extremely silent when running, which extends the lifetime of the pump

One-Piece Tubular Bedsores Prevention Mattress

Low-Noise Pump with 18 Months Warranty

HF6003



With Pump



Ventilating

HF6003B



Hose



Ventilating

HF6003C



HF62012



Hose



Ventilating

Specifications:

Mattress
Size: 240cm x 97cm (mould)
Material: Medical PVC, 0.32mm thickness
Fire Retardant Material
Pump
Cycle Time: 12mins
Air Output: 5-7 liter/min.
Pressure Range: 30mmHg-110 mmHg
Electrical Power Supply: 220-240 Volts
Protection Against Class II Electric Shocks
Warranty: 12months
Weight Capacity: 135kg

3D TPU Overlapping Tubular Bedsores Prevention Mattress

HF6003D



HF608A

- 3D overlapping design provides more comfort
- Individual air cells smoother air circulation
- Static/Dynamic modes; Power loss/ low pressure alarm


Specifications:

Pump	Mattress
Item: HF608-A	Item: HF6003D
Power Supply: 110V/220V, 50-60Hz	Standard Size: 195cm(L) x 90cm(W) x 9cm(H)
Air Output: 6-8 liter/min.	22 Air Cells
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU 100% Liquid Proof
Cycle Time: 12mins	Air Cells: Medical Grade TPU Film
Power Consumption: 7W Fuse: 1A	AB Zones Alternating Pressure Relief
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Mattress Weight: 5.5-6.5 kg
Weight: 1.6kg	Weight Capacity: 145kg

Middle Risk Class II Tubular Medical Air Mattress

Top Quality Aluminum Pump 2 Years Warranty
CPC Connector/External Fuse /AB or ABC Alternating Optional

HF6002




Specifications:

Pump	Mattress
Item: HF601	Item: HF6002
Power Supply: 110V/220V, 50-60Hz	Standard Size: 200cm(L) x 90cm(W) x 11.5cm(H)
Air Output: 6-8 liter/min.	18 Air Cells
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons
Cycle Time: 12mins	Air Cells: Medical Class Taiwanese Nylon PVC
Power Consumption: 7W Fuse:1A	Bottom: Welding Tarpaulin
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Mattress Weight : 5.5-6.5kg
Weight: 1.6kg	Weight Capacity: 145kg

Tubular Air Mattress with Urine Door

Low Noise Adjustable Air Pump
Removable Urine Door/Flaps

HF6002U



Specifications:

Pump	Mattress
Item: HF608	Item: HF6002U
Power Supply: 110V/220V, 50-60Hz	Standard Size: 200cm(L) x 90cm(W) x 11.5cm(H) ;
Air Output: 6-8 liter/min.	18 Air Cells
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons
Cycle Time: 12mins	Air Cells: Medical Class Taiwanese Nylon PVC
Power Consumption: 7W Fuse:1A	Bottom: Welding Tarpaulin
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Mattress Weight : 5.5-6.5kg
Weight: 1.5kg	Weight Capacity: 145kg

5" Fire Retardant PVC 17 Cells Tubular Mattress

Ventilated, Fire Retard SGS Approved Material ,
100% Waterproof Base Cover/Fully Welding Seams/No Stitching

HF6002-17P



Specifications:

Pump	Mattress
Item: HF62012	Item: HF6002-17P
Power Supply: 110V/220V, 50-60Hz	Standard Size: 190cm(L) x 85cm(W) x 11.5cm(H) ;
Air Output: 5-7 liter/min.	17 Air Cells
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons (optional)
Cycle Time: 10-12mins	Air Cells: Medical Class Taiwanese PVC0.4
Power Consumption: 7W	Bottom: Welding Tarpaulin
Size: 23.5cm(L) x 13cm(W) x 9.5cm(H)	Mattress Weight : 5-5.5 kg
Weight: 1.4kg	Weight Capacity: 145kg

Fire Retardant PVC 22 Cells Tubular Mattress

Ventilated, Fire Retard SGS Approved Material ,
100% Waterproof Base Cover/Fully Welding Seams/No Stitching

HF6002-22P




Specifications:

Pump	Mattress
Item: HF-A	Item: HF6002-22P
Power Supply: 110V/220V, 50-60Hz	Standard Size: 186cm(L) x 80cm(W) x 8.5cm(H)
Air Output: 5-7 liter/min.	Air Cells: 22 cells
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU with Buttons (optional)
Cycle Time: 10-12mins	Air Cells: Medical Class Taiwanese PVC0.4
Power Consumption: 7W	Bottom: Tarpaulin
Size: 22.5cm(L) x 10.5cm(W) x 7.5cm(H)	Mattress Weight : 3.8-4.2kg
Weight: 1.1kg	Weight Capacity: 135kg

Hospital Class II 5" Tubular Air Mattress

Silent Aluminum Pump/Static Model/Alarm
CPC Connector/External Fuse/Filter
AB or ABC Alternating Optional



Specifications:

Pump	Mattress
Item: HF608	Item: HF6005
Power Supply: 110V/220V, 50-60Hz	Standard Size: 80"(L) x 32"-36"(W)
Air Output: 6-8 liter/min.	4.5" 18 Cells; 200cm(L) x 90cm(W) x 11.5cm(H)
Pressure Range: 30mmHg-110mmHg	Top Cover: Nylon PU/Strength
Cycle Time: 12mins	Air Cells: Nylon PVC/TPU
Power Consumption: 7W Fuse:1A	Bottom: Tarpaulin/Nylon PU
Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)	Mattress Weight: 5.5-6.5 kg
Weight: 1.6kg	Weight Capacity: 145 kg

Hospital 5"+ 3" Foam Base Mattress Replacement

Digital Aluminum Pump System/Auto Pressure Control
100% Waterproof Seam-Sealed Stretch PU Cover



Item:HF6006

- 5" Air Cells with 3" foam pocket, can insert the foam inside
- Mattress Size: 80"(L) X 36"(W) x 5"(H) cell+3" foam
200cm(L) x 90cm(W) x 20.5cm(H)
- Material:
Taiwan Nanya Nylon TPU Air Cells
Welded Stretch PU Cover, Full Zipper
Tarpaulin/Nylon Pu Bottom
- Maximum Weight Limit: 180kg
- Advantages:
Waterproof Cover
Medical Class TPU Material
Pillow Function
Bottom Foam Replacement
Ventilation Option
Easyturn CPR for Rapid Deflation
Visual and Audible Alarms for Patient Safety



Item:HF609

- Pump Size: 27.3cm(L) x 13.5cm(W) x 9cm(H)
- Function: Static with Auto-Return, Sitting, Alarm, Lock
- Air Output: 6-8 liter/min
- Pressure Range: 20mmHg-50mmHg
- Cycle Time: 12 mins
- Power Consumption: 7W Fuse: 1A
- AB or ABC Alternating Option
- CPC Connector
- External, Easy Replacement Pump, Air Filters and Fuse
- Automatically Adjusts to the Patients Weight
- Silent Aluminum Compressor Pump at Optimum Support Pressures

Hospital ICU 8" Low Air Loss Air Mattress Replacement

Digital Aluminum Pump System/Auto Pressure Control,
Static Mode, Sitting Mode, Alarm/Lock

HF6008P-1



Touch Panel

Item:HF6008-1

- 8" Full Height Cell, 20 Air Cells, Dimensions: 200cm(L) x 85cm(W) x 20.5cm(H)
- Static Layer for Safety Protection
- PU Top Cover 100% Liquid Proof
- Blue PVC Film Air Cells One Time Mould
- 4 Sided Zipper
- AB/ ABC Alternating Pressure Relief
- Top 1-3 Air Cell Pillow Function
- 4 Side Handles, Bottom 3 Pairs Loops
- 4-11 Air Cells Ventilation
- CPR for Quick Release During Emergency

Item:HF800

- AB/ABC Alternating with Aluminum 6-8L Air Pump
- Power Failure and Low Pressure Visible / Audio Alarm
- Lock/Mute Function
- Auto-Weight Control According to Patient's Weight Settings up to 180Kgs
- Static Nursing Mode, 30 mins back to Alternating
- Sitting Position Provides more support
- CPC Quick Connector and Detachable 4M Wire
- Dimensions: 27.3cm(L) x 13.5cm(W) x 9cm(H)

Hospital ICU 8" Air Mattress Replacement

Digital Aluminum Pump System/Auto Pressure Control,
Static Mode, Sitting Mode, Alarm/Lock

HF6008



Touch Panel



Item:HF6008

- 8" Full Height Cell, 19 Air Cells, Dimension: 200cm(L) x 80-90cm(W) x 20.5cm(H)
- Static Bottom Layer for Safty Pretext
- Crib 5 Fire Retard Strech PU Top Cover 100% Welding Seams Liquid Proof
- TPU Coated Air Cells, 3D Designs
- 4 sided zipper
- 1 in 3 ABC Alternating Pressure Relief Supporting Patient Weight 67% Instead of 50%
- Top 1-3 Air Cell Pillow Function
- 4 Side Handles, Botom 3 Pairs Loops
- 4-11 Air Cells Ventilation
- CPR for Quick Release During Emergency
- Optional: Rectangle Air Cells

Item:HF806

- 1-3 Alternating with Aluminum Single/ Dual Air Pump
- 10/15/20/25 mins Single Time Circle
- Power Failure and Low Pressure Visible / Audio Alarm
- Lock/Mute Function
- Auto-Weight Control According to Patient's Weight Settings up to 180Kgs
- Static Nursing Mode, 30 mins back to Alternating
- Sitting Position Provides More Support
- Max Pressure Mode
- CPC Quick Connector and Detachable 4.5M Wire
- Remote Control
- Dimensions: 34.5cm(L) x 19cm(W) x 14.5cm(H)

Certificate for HF806 Pump, Mattress as B- part for Pump : IEC60601-1, 60601-2, and 60601-11

Bariatric 42-54" ABC Alternating Pressure Mattress

Dual Pump for Heavy Patient Support up to 450kgs
Auto Weight Comfort Mode

HF6008ABC



Touch Panel

Item: HF6008ABC

- 9" Full Height Cell, 21 Air Cells, Dimensions: 200cm(L) x 106~138cm(W) x 23.5cm(H)
- Foam Base for Safety Protection
- Quilted PU Top Cover
- Durable Rectangular Air Cells
- 4 Sided Zipper
- ABC Alternating Pressure Relief up to 67% Instead of 50%
- Top 1-3 Air Cell Pillow Function
- 4 Side Handles, Bottom 3 Pairs loops
- CPR for Quick Release During Emergency
- Weight Capacity: 280-450kgs

Item: HF806

- ABC Alternating with Dual Air Pump
- Power Failure and Low Pressure Visible / Audio Alarm
- Lock/Mute Function
- Auto-Weight Control
- Static Nursing Mode, 30 mins back to Alternating
- Sitting Position Provides More Support
- CPC Quick Connector and Detachable 4M Wire
- Dimensions: 34.5cm(L) x 19cm(W) x 14.5cm(H)



8" Turning Mattress for Multi-Functional Automatic Rotation



HF808



FEATURES AND BENEFITS

- Lateral Rotation Angle Adjustable: 15° and 45°
- 21cm High Cells for Professional Hospital Environments
- Raised Side Perimeter Air Bolsters Mitigate Accidental Patient Roll-outs, and Reduce the Risk of Entrapment. (Rounded and Triangular Rails Optional)
- TPU Material
- Remote Control, Simple Operation and Wide Applicability
- Audio/Visual Low Pressure Alarm
- Audio/Visual Low Pressure Alarm
- Static Function for Safe and Easy Transfer.
- LED Display Full Touch Panel
- 12/18/24mins Alternating Cycle.

Item: HF808 8"


- Pump Size: 28cm(L) x 10cm(W) x 16.5cm(H)
- Minimum Weight Limit: No Minimum
- Maximum Weight Limit: 180kg
- Mattress Size: 200cm(L) x 90cm(W) x 21cm(H)
- Material: TPU Film / Nylon TPU for Air Cells, Stretch PVC
- Cover, Bottom Tarpaulin/Nylon PU



5" Turning Mattress for Anti-Bedsore & Pressure Ulcer Prevention



HF808



FEATURES AND BENEFITS

- 6 Independent Automatic Areas. Combines Head up, Feet up, Lateral Rotation, Low Air Loss and Alternating Pressure in One Mattress System.
- 11.5cm Cell Height, Compact Size, Quick and Easy Installation for Simpler Environments
- TPU Material
- Remote Control, Simple Operation and Wide Applicability
- Audio/Visual Low Pressure Alarm
- Static Function for Safe and Easy Transfer.
- LED Display Full Touch Panel
- 10 minutes Alternating Cycle.

Item:HF808 5"

- Pump Size: 28cm(L) x 10cm(W) x 16.5cm(H)
- Minimum Weight Limit: No Minimum
- Maximum Weight Limit: 135-145kg
- Mattress Size: 200cm(L) x 90cm(W) x 11.5cm(H)
- Material: TPU Film / Nylon TPU for Air Cells, Stretch PVC
- Cover, Bottom Tarpaulin/Nylon PU




Alternating Pressure Air Pump



Model	HF62012	HF-A	HF605	HF602	HF603	HF6P01
Size	23.5*13*9.5cm	22.5*10.5*7.5cm	20.1*10.4*7.2cm	23.5*13*9.5cm	23.5*12*9.5cm	27.5*12*10cm
Weight	0.8kg	0.8kg	0.8kg	0.8kg	1.4kg	1.1kg
Alternate Mode	AB	AB	AB	AB	AB	AB
Air Output	5-7 L/min	5-7 L/min	5-7 L/min	5-7 L/min	5-7 L/min	6-8 L/min
Air Pump	Plastic	Plastic	Plastic	Plastic	Plastic	Aluminum
Static Mode	--	--	--	--	--	Optional

Model	HF601	HF608	HF609	HF800	HF808	HF806
Size	27.3*13.5*9cm	27.3*13.5*9cm	27.3*13.5*9cm	27.3*13.5*9cm	28*10*16.5cm	34.5*19*14.5cm
Weight	1.3kg	1.3kg	1.3kg	1.3kg	1.67kg	2.2kg
Alternate Mode	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D	AB/ABC/AB-D; R	AB/ABC/AB-D
Air Output	6-8 L/min	6-8 L/min	6-8 L/min	6-8 L/min	6-8 L/min	10-12 L/min
Air Pump	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum *2
Static Mode	--	yes	yes	yes	yes	yes
Quick Connector	yes	yes	yes	yes	yes	yes
Alarm	--	--	yes	yes	yes	yes
Auto KG/Cycle Time	--	--	yes	yes	yes	yes
Seat Inflate Mode	--	--	yes	yes	yes	yes

Portable Dynamic APP Cushion



HF2002



A
Plug-in



B
Rechargeable

Provides extra mobility for 12 hours per day

Specifications:

- Dimensions: 43(L)x43(W)x10(H)cm
- Static/Alternating Mode
- Weight Capacity: 120kg
- Cushion - TPU, Cover - Stretch PU
- Low Pressure and Battery Alarm
- Weight: 2kg
- 3 Cycle Times
- 5 Comfort Settings



HF2006

Seat Cushion

- Material: 0.4mm Medical Class PVC Fabric
- Size: 45x45cm
- Packing info: 54(L)x29(W)x22(H)cm, 15.2KG, 100PCS/CTN



HF2005

Wound Pad

- Material: PVC Flocking
- Size: Diameter 45cm/40cm
- Packing info: 50(L)x30(W)x 40(H)cm/100pcs

Bedsore Prevention Mattress



HF2007/2008


Model: HF2007(air)
HF2008(foam self-inflating)
Size: 42x42cm / 46x40cm
46x46cm / 50x46cm
Material: TPU/PVC
Packing: 46.5x52.5x45.8cm, 10PCS/CTN
Colorbox: 44x25x8.5cm



- Composed of air cells; can adjust to body shape according to the sitting posture.
- Keeps the hips at a sufficient distance from the bottom of the cushion to protect the skin and soft tissues.
- Improves air circulation and better disperses heat.


The Static Bedsore Prevention Mattress

HF2009A



Model: HF2009A
Size: 205x90 x12cm
Weight: 3.5KG
Material: TPU/PVC

HF2009B



Model: HF2009B
Size: 190x85x7.5cm
Weight: 3.5KG
Material: TPU/PVC

Air Transfer Mattress, Single-Patient Use

Products are Made with High-Elastic PVC Making Them Safe and Beneficial to Leave Under Patients for All Day Care That Supports Pressure Injury Prevention.

Mattress

- Large Size: 222x100cm
- Small Size: 222x89cm
- PVC Thickness: 0.4mm



HF6200



Big Valve



Hand Pump

HF6201



Chair Seat

- Size: 99x63cm
- Box Size: 54x29x22cm
50 pieces/box
- Gross Weight: 19.1 kg
- Net Weight: 18.55 kg

Inflatable Bath/Hair Basin

HF2101



Inflatable Bath Basin

- Material: PVC 0.4mm
- Accessories: Foot Pump, Water Hose
- Size: 190x90x22cm
- Electric Pump

HF2100



Shower bag optional

Inflatable Hair Washing Basin

- Material: PVC 0.4mm
- Accessories: Pump, Water Hose, Clips, Color Box
- Size: 23x62x53cm
- Color Box Size: 22x18x11cm
- Hand Pump

Neck Traction + Stretch



HF2010


Soothing Comfort for:

- Neck Pain
- Headaches
- Poor Posture
- Shoulder Tension
- Compressed Discs
- Repetitive Strain
- Pinched Nerves

Medical Water Mattress

HF6100

- Air frame + 3 Independent Baffles
- Material: PVC 0.40 mm Thickness +K75
- Size of Outer Frame : 200x93x11.5cm
- Size of Each Element : 69x60x11.5cm
- Weight: 3.5kg
- Packing : 1 set in PE bags, 4 sets in Outer Carton
- Accessories: Hand Pump, Water Hose, Repair Kit



HF6101

- Material: PVC
- One Piece Type
- Color Box Size: 30x5x38cm
- Packing Size: 34x31x40cm
- QTY/CTN: 6 PCS PER CTN
- Size: 180x86x12cm

